

QBTA: ON IALT-F1/BB=60J

Pile Dynamics, Inc.

DPF

File Dynamics 20-Apr-06 11:01	FS — 10	BN 234 SL 2601/ 3440/ 99	PJ: PN: HOPBAR	TG F1 -- US A2 F2 3.3			
LE 39.6 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 16862 ft/s							
JC 0.40 FM 1.00 UM 1.00							
EA/C 30.3 Ks/ft UN KIPS*0.1 FR 20000 MB 30							
DL -28 UT 0 PK 1 TM-PEAK							
F1 500 F2 213 A1 999 A2 1040							
TS 12 TB 8.0					B PD: 18635-060 TI 9.7 2L/C 4.7	VA 1000 UE 1022	LP 0.00 ft LI 1.0

ACCEPT SQ-OFF FL-OFF PR-OFF	VMX= 5.0 FMX= 76 AMX= 199 EMX= 0.4 MEX= 149 FVP= 0.97
	ACCELEROMETER CALIBRATION N.I.S.T. Traceable
	SERIAL NUMBER: 18635
	CALIBRATION FACTOR: 1040 61V
	PAK (#5000) : _____ DATE: 20 Apr-06 PDA OPERATOR: <i>Fred Huer</i>

<-AT:PIEZORESISTIVE

OP: FRED Iver:4.051

AT:PIEZOELECTRIC->