

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

File Dynamics
14-Mar-12 12:57

FS — BN 5435
10 SL 213/ 3440/ 99

PJ: sn
PN: HOPBAR

TG F2 -- US
A2 F2 3.3

LE 39.6 ft
AR 1.7 in2
EM 30000 Ksi
SP 0.492 K/ft3
WS 16810 ft/s
WC 16862 ft/s


JC 0.40
FM 1.00
UM 1.00

EA/C 30.3 Ks/ft
DN KIPS*0.1
FR 20000 MB 30

DL -30
UT -1
PK 1 TM-PEAK

F1 500
F2 213
A1 999
A2 980

TS 12 B PD: 40519-075 LP 0.00 ft
TB 8.0 T1 9.6 2L/C 4.7 VA 1000 UE 1022 LI 1.0



WIRE OFF SQ-OFF FL-OFF PR-OFF

VMX= 4.0 FMX= 62 AMX= 159
EMX= 0.2 MEX= 121 FVP= 0.99



contact Pile Dynamics USA
with your questions
tel USA - 216 - 831- 6131
fax USA - 216 - 831- 0916

ACCELEROMETER CALIBRATION N.I.S.T. Traceable
SERIAL NUMBER: 40519
CALIBRATION FACTOR: 980 G/v
PAK (*5000): DATE: 14-MAR-12
PDA OPERATOR: *[Signature]*

<-AT:PIEZORESISTIVE

OP: ALEX [ver:4.05]

AT:PIEZOELECTRIC->