

QBTA: ON [ALT-F1/BB=60]

Pile Dynamics, Inc.

DPF

File Dynamics 2018-02-22 09:28	FS — 10	BN 568 SL 638/ 3440/ 2	PJ: PN: HOPBAR	TG F2 -- US A2 F2 3.3			
LE 17.0 ft AR 1.7 in2 EM 30000 Ksi SP 0.492 K/ft3 WS 16810 ft/s WC 7312 ft/s							
JC 0.40 FM 1.00 UM 1.00							
EA/C 30.3 Ks/ft UN KIPS 0.1 FR 20000 MB 90							
DL -43 UT -1 IP 0.00 PK 1 TM-PEAK							
F1 500 F2 213 A1 220 A2 1185							
TS 12 TB 8.0					B PD: 45610-075 T1 9.6 2L/C 4.7	VA 1000 VE 1024	LP 0.00 ft LI 1.0
VMX= 4.2 FMX= 67 AMX= 139 EMX= 0.3 MEX= 131 FVP= 1.01							
ACCEPT SQ-OFF FL-OFF PR-OFF							
ACCEPT 							
ACCELEROMETER CALIBRATION N.I.S.T. Traceable SERIAL NUMBER: 45610 CALIBRATION FACTOR: 1185 g/v PAK (*5000): DATE: 22 Feb 18 PDA OPERATOR: <i>[Signature]</i>							

<-AT:PIEZORESISTIVE

OP: laine [ver:5.01]

AT:PIEZOELECTRIC->