


Cycle 1
Sample

Force (kips)	Bridge (mV/V)
1 0	0
2 1.11035685	-0.063159981
3 1.99866157	-0.113994134
4 3.0111513	-0.170420226
5 4.06711537	-0.229230033
6 5.16557903	-0.291627248
7 5.92082753	-0.333159081
8 7.08382043	-0.398717261
9 7.87279568	-0.443182563
10 9.02516351	-0.50906312
11 9.84308927	-0.555670512

Serial Number 30389
Force Calibration (lb/V) -17.7672895
Offset -0.01261579
Correlation -0.99999314




Cycle 2
Sample

Force (kips)	Bridge (mV/V)
1 0	0
2 1.08277099	-0.060994323
3 1.99739444	-0.112653059
4 3.04585308	-0.171410709
5 4.106691	-0.231158842


6	5.22182317	-0.294461214
7	5.99812662	-0.337229922
8	7.14055196	-0.401764526
9	7.9624743	-0.447310325
10	9.1452548	-0.514986971
11	9.94904647	-0.560561303

Serial Number 30389
 Force Calibration (kips/mV/V) -17.767427
 Offset -0.00070324
 Correlation -0.99999683



Sample	Cycle 3	
	Force (kips)	Bridge (mV/V)
1	0	0
2	1.14135446	-0.065614771
3	2.0121134	-0.114487056
4	2.94974111	-0.167349532
5	4.00940932	-0.22621625
6	5.09432377	-0.287106538
7	6.23440978	-0.352228744
8	6.99921091	-0.395296069
9	8.20353378	-0.46175478
10	9.02740561	-0.515626964
11	9.95099596	-0.56769367

Serial Number 30389
Force Calibration (kips/mV/V) -17.584111
Offset 0.01732131
Correlation -0.99991567



Serial Number 30389
Force Calibration (kips/mV/V) -17.7062758

Squid Gain 50
Squid Excitation 5
Force Calibration (kips/V) -3541.25516

Calibrated by: Sean Bonar
Calibrated Date: 7/31/2024

Pile Dynamics Inc
30725 Aurora Rd
Solon, OH 44139

Traceable to N.I.S.T.

