


Cycle 1
Sample

	Force (kips)	Bridge (mV/V)	
1	0		0
2	1.15217175	-0.067315795	
3	2.00820994	-0.116330071	
4	2.93335892	-0.170590332	
5	3.92108782	-0.228821834	
6	4.98367874	-0.290114725	
7	6.09978443	-0.355947558	
8	7.3223348	-0.423221112	
9	8.33677312	-0.496389985	
10	9.00341542	-0.548868828	
11	10.1487656	-0.633814192	

Serial Number 30501DC
Force Calibration (lb/V) -16.141521
Offset 0.21354845
Correlation -0.99860959




Cycle 2
Sample

	Force (kips)	Bridge (mV/V)	
1	0		0
2	0		0
3	0		0
4	0		0
5	0		0


6	0	0
7	0	0
8	0	0
9	0	0
10	0	0
11	0	0

Serial Number 30501DC
 Force Calibration (kips/mV/V) #DIV/0!
 Offset #DIV/0!
 Correlation #DIV/0!



Sample	Cycle 3	
	Force (kips)	Bridge (mV/V)
1	0	0
2	0	0
3	0	0
4	0	0
5	0	0
6	0	0
7	0	0
8	0	0
9	0	0
10	0	0
11	0	0

Serial Number 30501DC
Force Calibration (kips/mV/V) #DIV/0!
Offset #DIV/0!
Correlation #DIV/0!



Serial Number 30501DC
Force Calibration (kips/mV/V) #DIV/0!

Squid Gain 50
Squid Excitation 5
Force Calibration (kips/V) #DIV/0!

Calibrated by: Sean Benson
Calibrated Date: 3/20/2025

Pile Dynamics Inc
30725 Aurora Rd
Solon, OH 44139

Traceable to N.I.S.T.